Docketed - MDS

COMMISSIONER FOR PATENTS UNITED STATES PATENT AND TRADEMARK OFFICE WASHINGTON, D.C. 2023I www.uspto.gov

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

09/902,408

07/10/2001

Gerald T. Mearini

0937.0017

CONFIRMATION NO. 8259

FORMALITIES LETTER

OC000000006469397

Daniel A. Thomson, Esq. Fourteenth Floor One Cascade Plaza Akron, OH 44308-1147

Date Mailed: 08/24/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

Monral

PART 1 - ATTORNEY/APPLICANT COPY

Dear Sir:

Applicant hereby requests approval of the following drawings revised in compliance with 37 CFR 1.84 for the above referenced patent. A duplicate copy of the Notice to File Corrected Application Papers and the corrected Figures are enclosed herewith.

Respectfully submitted,

EMERSON & SKERIOTIS

September 4, 2001

Daniel A. Thomson, Esq.

Reg. No. 43,189

One Cascade Plaza - Fourteenth Floor

Akron, OH 44308-1381

(330) 535-9999

L:\0900-0999\937\0017\PTO\010904 dat notice ofcorrected appln.PTO doc